

DAFTAR PUSTAKA

- Abcam. (2017). *MTS Cell Proliferation Assay Kit (Colorimetric) (ab197010)*. [Online] Diakses dari: <http://www.abcam.com/mts-cell-proliferation-assay-kit-colorimetric-ab197010.html>
- American Cancer Society. (2016). *Cancer Treatment & Survivorship Facts & Figures 2016-2017*. Atlanta: American Cancer Society; 2016
- American Cancer Society. (2017). *Cancer Fact and Figure 2017*. [Online] diakses dari: <https://www.cancer.org/content/dam/cancer-org/research/cancer-facts-and-statistics/annual-cancer-facts-and-figures/2017/cancer-facts-and-figures-2017.pdf>
- American Type Culture Collection. (2016). HL-60 (ATCC® CCL-240™). [Online] Diakses dari: <https://www.atcc.org/Products/All/CCL-240.aspx>
- Anggraeni, D. A. (2016). Manfaat dan Khasiat Tanaman Ciplukan untuk Kesehatan. [Online] Diakses dari: <http://kampoengilmu.com/manfaat-Ciplukan.pdf>
- Barton, M. B., Frommer, M., & Shafiq, J. (2006). Role of radiotherapy in cancer control in low-income and middle-income countries. *The lancet oncology*, 7(7), 584-595.
- Bastos, G. N. T., Silveira, A. J. A., Salgado, C. G., Picanço-Diniz, D. L. W., & Do Nascimento, J. L. M. (2008). *Physalis angulata* extract exerts anti-inflammatory effects in rats by inhibiting different pathways. *Journal of ethnopharmacology*, 118(2), 246-251.
- Cancer Compas. (2018). Leukemia Treatment. [Online] diakses dari: <https://cancercompass.com/leukemia-information/treatments.htm>
- Centre for Agriculture and Biosciences International. (2017). *Physalis angulata L. (cutleaf groundcherry)*. [Online] diakses dari: <https://www.cabi.org/isc/datasheet/40711>
- Chemat, F & Abert, M. (2014). *Alternative Solvents for Natural. Products Extraction, Green Chemistry and Sustainable Technology*. Springer Verlag Berlin Heidelberg 2014
- Collins, S. J. (1987). The HL-60 promyelocytic leukemia cell line: proliferation, differentiation, and cellular oncogene expression. *Blood*, 70(5), 1233-1244.

Fajar Sukma Perdana, 2018

SITOTOKSISITAS EKSTRAK DAUN CIPLUKAN (Physalis angulata L.) TERHADAP SEL KANKER DARAH (HL-60 CELL LINES)

Universitas Pendidikan Indonesia | repository.upi.edu | perpustakaan.upi.edu

- Collins, L. A., & Franzblau, S. G. (1997). Microplate alamar blue assay versus BACTEC 460 system for high-throughput screening of compounds against *Mycobacterium tuberculosis* and *Mycobacterium avium*. *Antimicrobial agents and chemotherapy*, 41(5), 1004-1009.
- Cooper GM. (2000). *The Cell: A Molecular Approach. 2nd edition. Sunderland (MA): Sinauer Associates; 2000. Tumor Suppressor Genes.* [online] diakses dari : <https://www.ncbi.nlm.nih.gov/books/NBK9894/>
- Day, R. A. and A. L. Underwood. (2002). *Analisis Kimia Kuantitatif*. Edisi Keenam. Jakarta. Penerbit Erlangga.
- Deng, X. H., Song, H. Y., Zhou, Y. F., Yuan, G. Y., & Zheng, F. J. (2013). Effects of quercetin on the proliferation of breast cancer cells and expression of survivin in vitro. *Experimental and therapeutic medicine*, 6(5), 1155-1158.
- De Fries, R. & Mistuhashi, M. (1995) Quantification of mitogen induced human lymphocyte proliferation: comparison of Alamar Blue assay to 3H-thymidine incorporation assay. *J. Clin. Lab. Anal.* 9, 89-95.'
- De Rosso V. V., & Mercadante A. Z. (2007). Identification and quantification de carotenoids, by HPLCPDA- MS/MS, from Amazonian fruits. *J Agric Food Chem* 55: 5062 - 5072.
- Departemen Kesehatan RI. (2016). *Infodatin; Bulan Peduli Kanker Payudara*. Jakarta
- Elmore, S. (2007). Apoptosis: a review of programmed cell death. *Toxicologic pathology*, 35(4), 495-516
- Federer, W. T. (1977). *Experimental Design Theory and Application, Third Edition*. New Delhi: Oxford and IBH Publishing.
- Fitria, M. Armandari, I. Septhea, D. Ikawati, A. & Meiyanto, E. (2011). *Ekstrak Etanolik Herba Ciplukan (Physalis angulata L. L.) Berefek Sitotoksik Dan Menginduksi Apoptosis Pada Sel Kanker Payudara Mcf-7*. Jurnal Ilmu-ilmu Hayati dan Fisik. 13(2) : 101-107
- Freshneey, R. Ian. (2006). *Basic Principles of Cell Culture*. John Wiley & Sons, Hoboken.
- Gibbs, W. Wayt. (2003). *Untangling the roots of cancer*. Scientific American, July, 57–65.
- Giraldo H.M., Barrera, L.E., Murcia, L.G., Valdivieso, M.F., Ramirez, G. (2017). Cytotoxic and Immunomodulatory Potential Activity of *Physalis peruviana* Fruit Extracts on Cervical Cancer (HeLa) and Fibroblast (L929)

Cells. *Journal of Evidence-Based Complementary & Alternative Medicine*: 1-11

- Gozal, M. (2012). *Pengaruh Lingkungan Mikro Sel Fibroblas Normal dan Kanker Terhadap Proliferasi Sel Punca Kanker Payudara dengan Uji MTT dan MTS*. Skripsi. Fakultas Matematika dan Ilmu Pengetahuan Alam. Universitas Indonesia
- Govindan R, Kumar V, Sisodia S,. (2012). Molecular interactions in stem cell homing and bone marrow transplantation therapy. *Int J Pharm Biomed Sci*; 3(4):210-213
- Greten F. R., Karin M (2004) The IKK/NF- κ B activation pathway—a target for prevention and treatment of cancer. *Cancer Letters* 206: 193–199
- Gupta, G. L., & Rana, A. C. (2007). PHCOG MAG.: plant review *Withania somnifera* (Ashwagandha): a review. *Pharmacognosy Reviews*, 1(1), 129-136.
- Hall, D.W. Vandiver, V.V. & Sellers, B.A. (1991). *Cutleaf Ground-cherry, Physalis angulata L. L.* Florida, USA: University of Florida
- Hapsari, Atikah. (2016). *Uji Aktivitas Sitotoksik Ekstrak Etanol, Fraksi Polar, Semipolar, Dan Nonpolar Herba Kitolod (Isotoma Longiflora (L.) C. Presl.) Terhadap Sel MCF-7*. Universitas Muhamadiyah Surakarta
- Harris, P., & Ralph, P. (1985). Human leukemic models of myelomonocytic development: a review of the HL-60 and U937 cell lines. *Journal of leukocyte biology*, 37(4), 407-422.
- Hidayat, T., Priyandoko, D., Wardiny, P. Y., & Islami, D. K. (2016). Molecular Phylogenetic Screening of *Withania somnifera* Relative From Indonesia Based on Internal Transcribed Spacer Region. *HAYATI Journal of Biosciences*, 23(2), 92-95.
- Hirano, T. Gotoh, M. & Oka, K. (1994). Natural Flavonoids And Lignans Are Potent Cytostatic Agents Against Human Leukemic HL-60 Cells. *Life Science*. Vol 55 No 13.
- Hosseinzadeh L, Behravan J, Mosaffa F, Bahrami G, Bahrami A. (2011) Curcumin potentiates doxorubicin-induced apoptosis in H9c2 cardiac muscle cells through generation of reactive oxygen species. *Food and Chemical Toxicology* 49: 1102–1109.
- Hsieh, W. T., Huang, K. Y., Lin, H. Y., & Chung, J. G. (2006). *Physalis angulata* induced G2/M phase arrest in human breast cancer cells. *Food and Chemical Toxicology*, 44(7), 974-983.

- Hseu, Y. C., Wu, C. R., Chang, H. W., Kumar, K. S., Lin, M. K., Chen, C. S., & Hsieh, W. T. (2011). Inhibitory effects of *Physalis angulata* on tumor metastasis and angiogenesis. *Journal of ethnopharmacology*, 135(3), 762-771.
- Hsu, C. C., Wu, Y. C., Farh, L., Du, Y. C., Tseng, W. K., Wu, C. C., & Chang, F. R. (2012). Physalin B from *Physalis angulata* triggers the NOXA-related apoptosis pathway of human melanoma A375 cells. *Food and chemical toxicology*, 50(3-4), 619-624.
- Huang, K. T., Chen, Y. H., & Walker, A. M. (2004). Inaccuracies in MTS assays: major distorting effects of medium, serum albumin, and fatty acids. *Biotechniques*, 37(3), 406-408.
- Huong, T. Van, L. Thanh, N. Suong, N. Phuong, T. & Tien, N. (2016). Chemical Constituents Of *Physalis angulata* L. L. (Family Solanaceae). Can Tho University Journal of Science Vol 2 (2016) 46-49
- Kurnijasanti, R., Hamid, I. S., & Rahmawati, K. (2008). Efek Sitotoksik In Vitro dari Ekstrak Buah Mahkota Dewa (*Phaleria macrocarpa*) Terhadap Kultur Sel Kanker Mieloma. *J. Penelit. Med. Eksakta*, 7(1), 48-54.
- Kusumaningtyas, R., Laily, N., & Limandha, P. (2015). Potential of Ciplukan (*Physalis Angulata* L.) as source of functional ingredient. *Procedia Chemistry*, 14, 367-372.
- Lawal, I. O., Uzokwe, N. E., Igboanugo, A. B. I., Adio, A. F., Awosan, E. A., Nwogwugwu, J. O. & Adesoga, A. A. (2010). Ethno medicinal information on collation and identification of some medicinal plants in Research Institutes of South-west Nigeria. *African Journal of Pharmacy and Pharmacology*, 4(1), 001-007.
- Lapidot T, Dar A, Kollet O. (2005). How do stem cells find their way home?. *Blood*; 106: 1901-1910
- Lee, H. Z., Liu, W. Z., Hsieh, W. T., Tang, F. Y., Chung, J. G., & Leung, H. W. C. (2009). Oxidative stress involvement in *Physalis angulata*-induced apoptosis in human oral cancer cells. *Food and Chemical Toxicology*, 47(3), 561-570.
- Leila, J., Hosein, G., Reyhaneh, S., Hanieh, R., Jila, N., Hajar, H., & Mahmoud Reza, A. (2016). Cytotoxic effects of some common organic solvents on MCF-7, RAW-264.7 and human umbilical vein endothelial cells. *Avicenna Journal of Medical Biochemistry*, 4(1), 10-33453.
- Leppong, H., Mutmainnah, M., & Bahrin, U. (2016). Pengaruh (Efek) Kemoterapi Terhadap Kerja (Aktivitas) Enzim Transaminase Di Penderita Kanker

Payudara. *Indonesian Journal Of Clinical Pathology And Medical Laboratory*, 17(2), 107-109.

Leukemia Foundation. (2011). *Young Adults with a Blood Cancer*. [Online] Diakses dari: https://www.LEUKAEMIA_Young_Adults_2011.pdf

Leukemia & Lymphoma Society. (2014). *Someday is Today*. [Online] Diakses dari: https://www.lls.org/sites/default/files/file_assets/facts.pdf

Lubgan, D., Jóźwiak, Z., Grabenbauer, G. G., & Distel, L. V. (2009). Doxorubicin-transferrin conjugate selectively overcomes multidrug resistance in leukaemia cells. *Cellular & molecular biology letters*, 14(1), 113.

Lusakibanza, M., Mesia, G., Tona, G., Karemere, S., Lukuka, A., Tits, M., & Frederich, M. (2010). In vitro and in vivo antimalarial and cytotoxic activity of five plants used in congolese traditional medicine. *Journal of ethnopharmacology*, 129(3), 398-402.

Ma, T., Zhang, W., Yang, L., Zhang, C., Lin, R., Shan, S., Zhun, M., Luo, J., Kong, L. (2016). Cytotoxic Withanolides from *Physalis angulata* L. var. *villosa* And The Apoptosis-inducing Effect via ROS Generation And The Activation of MAPK in Human Osteosarkoma Cells. *RSC Adv.*, 6; 53089-53100.

Ma, Y., Han, W., Li, J., Hu, L., Zhou, Y. (2015). Physalin B not Only Inhibits the Ubiquitin-proteasome Pathway but Also Induces Incomplete Autophagic Response in Human Colon Cancer Cells *in vitro*. *Art Pharmacologica Sinica*, 36; 517-527

Magalhães, Hemerson I.F, Veras, Maria L, Torres, Mârcia R, Alves, Ana P.N.N, Pessoa, Otilia D.P, Silveira, Ediberto R, Costa-Lotufo, Leticia V, de Moraes, Manoel O, & Pessoa, Cláudia. (2006). In-vitro and In-vivo Antitumor Activity of Fisalin B and D from *Physalis angu- lata*. *Journal of Pharmacy and Phar- macology*, 58th Ed, 235-241(7)..

Mahalakshmi, A. M., & Nidavani, R. B. (2014). *Physalis angulata* L.: An ethanopharmacological review. *Indo American Journal of Pharmaceutical Research*.

Meira, C. S., Guimaraes, E. T., Bastos, T. M., Moreira, D. R., Tomassini, T. C., Ribeiro, I. M., ... & Soares, M. B. (2013). Physalins B and F, seco-steroids isolated from *Physalis angulata* L., strongly inhibit proliferation, ultrastructure and infectivity of *Trypanosoma cruzi*. *Parasitology*, 140(14), 1811-1821.

Micheau O, Tschopp J. (2003). Induction of TNF receptor I-mediated apoptosis via two sequential signaling complexes. *Cell*. 2003;114:181–190

- Minaei, A., Sabzichi, M., Ramezani, F., Hamishehkar, H., & Samadi, N. (2016). Co-delivery with nano-quercetin enhances doxorubicin-mediated cytotoxicity against MCF-7 cells. *Molecular biology reports*, 43(2), 99-105.
- Mosmann, T. (1983). Rapid colorimetric assay for cellular growth and survival: application to proliferation and cytotoxicity assays. *Journal of immunological methods*, 65(1-2), 55-63.
- Monikawati, A. Farida, S. Dkk. (2011). Antiproliferative Activity of Ethanolic Extract of Ciplukan Herbs (*Physalis angulata* L.) on 7,12-Dimethylbenz[a]anthracene-Induced Rat Mammary Carcinogenesis. *Indonesian Journal of Cancer Chemoprevention*, , 2(2):227-232
- Nazir, M. (2003), *Metode Penelitian*, Salemba Empat, Jakarta,63.
- National Cancer Institue. (2013). *Why You Must to Know About Leukemia*. [Online] Diakses dari: <https://www.cancer.gov/publications/patient-education/leukemia.pdf>
- O'brien, J., Wilson, I., Orton, T., & Pognan, F. (2000). Investigation of the Alamar Blue (resazurin) fluorescent dye for the assessment of mammalian cell cytotoxicity. *The FEBS Journal*, 267(17), 5421-5426.
- Prasetyo, D. (2016). *Pengertian Kanker Darah*. [Online] Diakses dari: <http://www.alodokter.com/kanker-darah>
- Priyandoko, D., Ishii, T., Kaul, S. C., & Wadhwa, R. (2011). Ashwagandha leaf derived withanone protects normal human cells against the toxicity of methoxyacetic acid, a major industrial metabolite. *Plos one*, 6(5), 19552.
- Plant For a Future. (2017). *Physalis angulata* L. - L. [Online] Diakses dari: <http://www.pfaf.org/user/Plant.aspx?LatinName=Physalis+angulata>
- Puranik SB, Nagesh A, Guttedar RS. (2012). Isolation of mesenchymal-like cells from wharton's jelly of umbilical cord. *IJPCBS*; 2(3):218-224
- Purwaningsih, E. (2016). Efek kurkumin dan pentagamavunon-0 terhadap viabilitas kultur sel luteal. *YARSI Medical Journal*, 17(1), 045-053.
- Rafieian-Kopaei, M. (2012). Medicinal plants and the human needs. *Journal of HerbMed Pharmacology*, 1.
- Rafieian-Kopaei, M., Baradaran, A., & Rafieian, M. (2013). Plants antioxidants: From laboratory to clinic. *Journal of nephropathology*, 2(2), 152-153
- Reyes-Reyes, E. M., Jin, Z., Vaisberg, A. J., Hammond, G. B., & Bates, P. J. (2012). Physangulidine A, a withanolide from *Physalis angulata*, perturbs the cell

cycle and induces cell death by apoptosis in prostate cancer cells. *Journal of natural products*, 76(1), 2-7.

- Ricci M.S, & Zong, W.X. (2006). Chemo- therapeutic Approaches for Targeting Cell Death Pathways. *The Oncologist*, 11:342–357. *Mol. Med.*, 110, 173-183
- Rohyani, I. S., & EVY, A. (2015). Kandungan fitokimia beberapa jenis tumbuhan lokal yang sering dimanfaatkan sebagai bahan baku obat di Pulau Lombok. *Phytochemical content of some of local plant species frequently used as raw materials for traditional medicine in Lombok Island. Pros Sem Nas Masy Biodiv Indon*, 2(0), 1.
- Roosita, K., Kusharto, C. M., Sekiyama, M., Fachrurozi, Y., & Ohtsuka, R. (2008). Medicinal plants used by the villagers of a Sundanese community in West Java, Indonesia. *Journal of ethnopharmacology*, 115(1), 72-81.
- Row L, Reddy K, Sarma M, Matsuura T, Nakashima R. (1980). New physalins from *Physalis angulata* and *Physalis lancifolia*. Structure and reactions of physalins D, I, G and K. *Phytochemistry* 19: 1175 - 1181
- Russo, G. L., Russo, M., Spagnuolo, C., Tedesco, I., Bilotto, S., Iannitti, R., & Palumbo, R. (2014). Quercetin: a pleiotropic kinase inhibitor against cancer. In *Advances in nutrition and cancer* (185-205).
- Sarwono, J. (2013). *Teori Regresi*. [Online] Diakses dari: www.jonathansarwono.info/regresi/regresi.pdf
- Salgado, E. & Arana, G. (2013). *Physalis angulata* L. (Bolsa Mullaca): A Review of its Traditional Uses, Chemistry and Pharmacology. *Boletín Latinoamericano y del Caribe de Plantas Medicinales y Aromáticas* 12 (5): 431 – 445
- Schlüter, C., Duchrow, M., Wohlenberg, C., Becker, M. H., Key, G., Flad, H. D., & Gerdes, J. (1993). The cell proliferation-associated antigen of antibody Ki-67: a very large, ubiquitous nuclear protein with numerous repeated elements, representing a new kind of cell cycle-maintaining proteins. *The Journal of cell biology*, 123(3), 513-522.
- Sharma, N., Bano, A., Dhaliwal, H. S., & Sharma, V. (2015). Perspectives And Possibilities Of Indian Species Of Genus *Physalis* (L.) – A Comprehensive Review. *European Journal Of Pharmaceutical And Medical Research*. 2 (2) :326-353
- Shingu K, Yahara S, Nohara T, Okabe H. (1992). Three new withanolides, physagulins A, B, and D from *Physalis angulata* L. L. *Chem Pharm Bull* 40: 2088 - 2091.

- Singh, M., McKenzie, K., & Ma, X. (2017). Effect of dimethyl sulfoxide on in vitro proliferation of skin fibroblast cells. *Journal of Biotech Research*, 8, 78.
- Smith, R. A., Manassaram-Baptiste, D., Brooks, D., Doroshenk, M., Fedewa, S., Saslow, D., & Wender, R. (2015). Cancer screening in the United States, 2015: a review of current American cancer society guidelines and current issues in cancer screening. *CA: a cancer journal for clinicians*, 65(1), 30-54.
- Soares, M.B.P., Bellintani, M.C., Ribeiro, I.V., Tomassini, T.C.B., Santos, R.R., (2003). Inhibition of macrophage activation and lipopolysaccharide-induced death by seco-steroids purified from *Physalis angulata* L. *European Journal of Pharmacology* 459, 107–112.
- South Australia.Society (2012). Electronic Flora of Australia. [Online] Diakses dari:
http://www.flora.sa.gov.au/efsa/lucid/Solanaceae/Solanaceae%20species/key/Australian%20Solanaceae%20species/Media/Html/Physalis_angulata.htm
- Sun, L., Liu, J., Liu, P., Yu, Y., Ma, L., & Hu, L. (2011). Immunosuppression effect of Withangulatin A from *Physalis angulata* via heme oxygenase 1-dependent pathways. *Process biochemistry*, 46(2), 482-488.
- Sutrisna, E.M., Indwianastuti, and Haryadi. (2012). The Ethanol Extract of *Physalis angulata* L. Linn inhibits COX-2 Activity in MCF-7 cell in vitro. *International Conference: Research and Application*, 12-17
- Syarifah, Fitri. (2015). *Kasus Kanker Darah pada Anak Masih Cukup Tinggi di Indonesia*. [Online] Diakses dari:
<http://health.liputan6.com/read/2161558/kasus-kanker-darah-pada-anak-masih-cukup-tinggi-di-indonesia>
- Reyes-Reyes, E. M., Jin, Z., Vaisberg, A. J., Hammond, G. B., & Bates, P. J. (2012). Physangulidine A, a withanolide from *Physalis angulata*, perturbs the cell cycle and induces cell death by apoptosis in prostate cancer cells. *Journal of natural products*, 76(1), 2-7.
- Tetti, M. (2014). Ekstraksi, Pemisahan Senyawa, Dan Identifikasi Senyawa Aktif. *Jurnal Kesehatan*, 7(2).
- Tu, Shi-Ming. (2010). Origin of Cancer : Clinical Prespectives and Implication of a Stem-Cell Theory of Cancer. The University of Texas M. D. Anderson Cancer Center
- Wijesekera, (1991). The Medicinal Plant Industry. Washington DC : CRC Press

- World Health Organization. (2003). *Traditional medicine*. [Online] diakses dari: <http://www.who.int/mediacentre/factsheets/fs134/en/>
- Wu, S. Y., Leu, Y. L., Chang, Y. L., Wu, T. S., Kuo, P. C., Liao, Y. R., ... & Pan, S. L. (2012). Physalin F induces cell apoptosis in human renal carcinoma cells by targeting NF-kappaB and generating reactive oxygen species. *PLoS One*, 7(7), e40727.
- Varga, Gabriela. (2011). *Alternative methods In vitro techniques: Cell and tissue cultures*. European Union.
- Yadav, B., Bajaj, A., Saxena, M., & Saxena, A. K. (2010). In vitro anticancer activity of the root, stem and leaves of *Withania somnifera* against various human cancer cell lines. *Indian journal of pharmaceutical sciences*, 72(5), 659.
- Yuan, C., Gao, J., Guo, J., Bai, L., Marshall, C., Cai, Z., & Xiao, M. (2014). Dimethyl sulfoxide damages mitochondrial integrity and membrane potential in cultured astrocytes. *PloS one*, 9(9), e107447